

**PrimusGFS v3.1 Rationalization of Changes:**

Azzule Systems gained valuable feedback from several of our clients, including indoor agricultural operations in Mexico, as well as from Certification Bodies, Training Centers, and industry experts at-large during the implementation of PrimusGFS v3.0. We believe strongly in serving the needs of the various groups with which we collaborate, and in doing so worked to address all feedback and suggestions in the updated v3.1.

Version 3.1 satisfies the needs of users from a local to a global scale with flexible modules and a variety of addenda developed to ensure strength in programs, regulatory compliance, and marketability. We are grateful to those individuals and companies that provided invaluable feedback to help continually improve PrimusGFS.

*Additions made to the text will appear in red. Where no changes were made you will see “No Change in v3.1”. Where text may have been removed you will see neither red text nor the phrase “No Change in v3.1”. You may compare v3.0 Questions and Expectations with version 3.1 Questions and Expectations where necessary.*

**DEVELOPMENT OF THE HACCP PLAN**

Number	Question	Expectation	Interpretation Guideline
6.02.01	English: No Change in v3.1 Spanish only: ¿Se ha realizado un análisis de peligros documentado para los procesos, que muestra los distintos tipos de peligros, su probabilidad de ocurrencia, su gravedad asociada y sus medidas de control? <b>UNA PUNTUACIÓN DE CERO (NO CUMPLIMIENTO) EN ESTA PREGUNTA RESULTA EN FALLA AUTOMÁTICA DE ESTA AUDITORÍA</b>	No Change in v3.1	No Change in v3.1