

PrimusGFS - Questions and Expectations - v3.2

This Module should be completed for each one of the Harvest Crew operations in the scope of the organization's application.

Module 4 - Harvest Crew (Sections 4.01 to 4.08)

Good Agricultural Practices Requirements

| Section | Q # | Question | Total Points | Expectation | QuestionType |
|------------|----------|--|--------------|--|--------------|
| General | 4.01.01 | Is there a designated person responsible for the operation's food safety program? | 10 | There should be a designated person/persons responsible for the operation's food safety program. They should have documented formal training or trained by someone that has formal credentials that is documented. This training should meet all state and federal requirements. | Essential |
| General | 4.01.02 | Does the operation have a written food safety hygiene and health policy covering at least worker and visitor hygiene and health, infants and toddlers, animal presence in growing and storage areas, fecal matter, dropped product, blood and bodily fluids? | 15 | There should be written food safety policy rules regarding worker and visitor personal hygiene, GAPs and health requirements. The policy should cover the rules related to hygiene and health (e.g., hand washing, eating/drinking, smoking, specific clothing rules, foreign material issues, cuts/wounds, illness rules, etc.), no infants and toddlers allowed in the growing area, what to do in the case of evidence of animals and/or fecal matter in the growing and/or storage areas, and what to do in the case of dropped product, and if the product comes into contact with blood or other bodily fluids. All workers should be issued a list of rules in the relevant languages and confirm by signing they understand and agree to abide. | Essential |
| Inspection | 4.02.01 | Is there documented evidence of the internal audits performed, detailing findings and corrective actions? | 15 | There should be records of the internal audits performed, meeting the frequency defined in the internal audit program. The records should include the date of the audit, name of the internal auditor, scope of the audit, justification for answers (not just checked ✓ or all Y/N), detailing any deficiencies found and the corrective actions taken. An audit checklist (ideally PrimusGFS) should be used that covers all areas of the PrimusGFS audit, including worker hygiene, harvest practices, on-site storage, etc. No down score if another audit checklist is used, as long as all areas are covered. See 1.04.01 for specific details.. | Essential |
| Inspection | 4.02.02 | Are there records of pre-harvest inspections and do they show that the current block (or coded area) is cleared for harvest? If there are no pre-harvest inspections go to 4.02.03. | 5 | A pre-harvest block inspection should have been performed no more than 7 days prior to harvest and if harvesting is occurring, it should show if there are any harvesting restrictions, etc. (e.g. evidence of animal intrusion, changes in weather conditions or weather events, pesticide application events) The harvest crew might not have a copy of the actual inspection, but they should have a document indicating which blocks have been inspected and cleared for harvest. If there are no pre-harvest inspections, go to 4.02.03. | Essential |
| Inspection | 4.02.02a | Where pre-harvest inspections have discovered issues, have buffer zones been clearly identified, and at the time of the audit, are those buffer zones being respected? | 15 | Where pre-harvest inspections have discovered issues (e.g., flooding, animal intrusion issues) buffer zones should be implemented (e.g., 30ft (9.1m) from flooded areas, 5ft (1.5m) from evidence of pest activity). Use larger buffer zones if national and local laws are more stringent. | Essential |

| Section | Q # | Question | Total Points | Expectation | QuestionType |
|------------|---------|--|--------------|--|--------------|
| Inspection | 4.02.03 | Is there a pre-operation inspection log? | 10 | Pre-operation inspections should identify potential problems with the harvesting operation, including equipment hygiene, tool hygiene, and worker hygiene. These inspections and corrective actions should be recorded. | Essential |
| Training | 4.03.01 | Is there a food safety hygiene training program covering new and existing workers and are there records of these training events? | 15 | There should be a formal training program to inform workers of the current policies and requirements of the company regarding hygiene. Training should be in the language understood by the workers, and training type and intensity should reflect the risks associated with the products/processes. Frequency should be at the start of the season before starting work and then some topics covered at least quarterly, but ideally monthly. These trainings should cover food safety and hygiene policies and basic food safety and hygiene topics, the importance of detecting food safety and/or hygiene issues with co-workers and visitors, all food safety or hygiene issues in which they are responsible, and correcting and reporting problems. Training logs should have a clearly defined topic(s) covered, trainer(s) and material(s) used/given. Topics include, but not limited to, hand washing, protective clothing (where applicable), recognizing and reporting injury and illness, blood and bodily fluids, jewelry, dropped product, animal intrusion, food defense. There should be records of workers who have attended each session. | Essential |
| Training | 4.03.02 | Is there a documented training program with training logs for the sanitation workers, including best practices and chemical use details? | 5 | Sanitation training should ensure that the workers understand the importance of proper sanitation, cleaning efficacy, how to use the cleaning chemicals and how to understand Sanitation Standard Operating Procedures. Unless sanitation workers attend regular food safety trainings, sanitation training should also include elements of food safety training pertinent to sanitation operations (e.g., hand washing, restroom use, foreign material, etc.). Training logs should have a clearly defined topic(s) covered, trainer(s) material(s) used/given and who attended the training (name and signature). | Essential |
| Training | 4.03.03 | Are there written and communicated procedures in place that require food handlers to report any cuts or grazes and/or if they are suffering any illnesses that might be a contamination risk to the products being produced, and return to work requirements? (In countries with health privacy/confidentiality laws, e.g. USA, auditors can check procedure/policy but not the actual records). | 10 | There should be documented procedures that are communicated (e.g., worker signature on a training log) to food handlers, requiring them to report any cuts, grazes and/or any illnesses that might be a food safety cross contamination risk. Procedures to note return to work requirements for affected workers. Procedures should cover recording requirements, but auditors should not request to review records where countries have laws covering privacy/confidentiality of health records. | Essential |
| Training | 4.03.04 | Are there worker food safety non-conformance records and associated corrective actions (including retraining records)? | 3 | There should be records covering when workers are found not following food safety requirements. These records should also show corrective actions and evidence that retraining has occurred (where relevant). | General |

| Section | Q # | Question | Total Points | Expectation | QuestionType |
|------------------------|----------|---|--------------|--|--------------|
| Harvest Worker Hygiene | 4.04.01 | Are toilet facilities adequate in number and location? A ZERO POINT (NON-COMPLIANCE) DOWN SCORE IN THIS QUESTION RESULTS IN AUTOMATIC FAILURE OF THIS AUDIT. | 15 | Toilet facilities should be available to all workers and visitors, while work is actively occurring. At least one toilet per 20 workers should be provided, or if more stringent, as per prevailing national/local guidelines. Toilet facility placement should be within 1/4 mile or 5 minutes walking distance of where workers are located, or if more stringent, as per prevailing national/local guidelines. A 5 minute drive is not acceptable, while harvesting is actively occurring with groups of three or more workers. Where there are two or less workers present and workers have transportation that is immediately available to toilets within a 5 minute drive, it is acceptable to score as total compliance. Automatic failure if there are insufficient or inadequate toilet facilities. A ZERO POINT (NON-COMPLIANCE) DOWN SCORE IN THIS QUESTION RESULTS IN AUTOMATIC FAILURE OF THIS AUDIT. | Essential |
| Harvest Worker Hygiene | 4.04.01a | Are toilet facilities in a suitable location to prevent contamination to the product, packaging, equipment, and growing areas? | 15 | Placement of toilet facilities should be in a suitable location to prevent contamination to product, packaging, equipment, water sources, and growing areas. Consideration should be given when portable units are used that they are not parked (if on trailers) too close to the edge of the crop and have a minimum 15 ft (4.5 m) buffer distance in the event of a spill or leak. If pit toilets are used, consider proximity to crop and water sources. | Essential |
| Harvest Worker Hygiene | 4.04.01b | Are toilet facilities designed and maintained to prevent contamination (e.g., free from leaks and cracks)? | 5 | Toilet facilities should be free from cracks and leaks and any waste holding tanks from toilets must be designed and maintained properly to prevent contamination. Waste holding tanks should be free of leaks, cracks and constructed of durable materials (e.g. plastic) that will not degrade or decompose (no wood). Each toilet should be ventilated to outside air. Pit toilets cannot be considered to be properly designed to prevent contamination. | Essential |
| Harvest Worker Hygiene | 4.04.01c | Are toilet facilities constructed of materials that are easy to clean? | 3 | Toilet facilities should be constructed of non-porous materials that are easy to clean and sanitize. The floors, walls, ceiling, partitions and doors should be made of a finish that can be easily cleaned. | General |
| Harvest Worker Hygiene | 4.04.01d | Are the toilet facility materials constructed of a light color allowing easy evaluation of cleaning performance? | 3 | Toilet facilities should be constructed of materials light in color, allowing easy evaluation of cleaning performance. | General |
| Harvest Worker Hygiene | 4.04.01e | Are toilet facilities supplied with toilet paper and is the toilet paper maintained properly (e.g., toilet paper rolls are not stored on the floor or in the urinals)? | 5 | Toilet paper should be provided in a suitable holder in each toilet facility. Toilet paper should be maintained properly (e.g., toilet paper rolls are not stored on the floor or in the urinals). | General |
| Harvest Worker Hygiene | 4.04.01f | Where used, is there a documented procedure for emptying the waste holding tanks in a hygienic manner and also in a way that prevents product, packaging, equipment, water systems and growing area contamination? | 5 | If toilets have waste holding tanks, they should be emptied, pumped, and cleaned in a manner to avoid contamination to product, packaging, equipment, water systems and growing area(s). Equipment used in emptying/pumping must be in good working order. A documented procedure should exist and include a response plan for major leaks or spills, including indicating where pumped waste is disposed of and requiring communication to the designated person(s) responsible for the food safety program regarding the actions taken when a major leak or spill occurred. | General |

| Section | Q # | Question | Total Points | Expectation | QuestionType |
|------------------------|----------|---|--------------|--|--------------|
| Harvest Worker Hygiene | 4.04.01g | Are the toilet facilities and hand washing stations clean and are there records showing cleaning, servicing and stocking is occurring regularly? | 10 | Toilet facilities and hand washing stations should be cleaned and sanitized on a regular basis. Servicing records (either contracted or in-house) should be available for review showing cleaning, servicing and stocking is occurring regularly. Soiled tissue should be flushed down the toilet/placed in the holding tank (not placed in trash cans and/or on the floor). | Essential |
| Harvest Worker Hygiene | 4.04.02 | Is hand washing signage posted appropriately? | 5 | Toilet facilities should have hand washing signs as a reminder to wash hands before and after eating, returning to work and after using the toilet. Signs need to be posted and in the language of the workers (picture signs are allowed). The signs should be permanent and placed in key areas where workers can easily see them. | General |
| Harvest Worker Hygiene | 4.04.03 | Are hand washing stations adequate in number and appropriately located for worker access and monitoring usage? A ZERO POINT (NON-COMPLIANCE) DOWN SCORE IN THIS QUESTION RESULTS IN AUTOMATIC FAILURE OF THIS AUDIT. | 15 | An adequate number of hand washing stations, in working order, should be provided to ensure efficient worker flow (1 per 20 people on site), and available to all workers and visitors. Hands free is an optimum system. Hand washing stations should be visible and located within close proximity of toilet facilities and lunchrooms and within 1/4 mile or 5 minutes walking distance of where workers are located. A ZERO POINT (NON-COMPLIANCE) DOWN SCORE IN THIS QUESTION RESULTS IN AUTOMATIC FAILURE OF THIS AUDIT. | Essential |
| Harvest Worker Hygiene | 4.04.03a | Are the hand wash stations designed and maintained properly (e.g., ability to capture or control rinse water to prevent contamination onto product, packaging, and growing area, free of clogged drains, etc.)? | 5 | Hand wash stations should be free of clogged drains, designed and maintained properly to capture or control rinse water that could cause contamination onto product, packaging, equipment, and growing area(s). | Essential |
| Harvest Worker Hygiene | 4.04.03b | Are hand wash stations clearly visible (e.g., situated outside the toilet facility) and easily accessible to workers? | 5 | Hand wash stations should be clearly visible (i.e. situated outside the toilet facility) in order to verify hand washing activities, and easily accessible to workers. | General |
| Harvest Worker Hygiene | 4.04.03c | Are hand wash stations adequately stocked with unscented soap and paper towels? | 5 | All hand washing facilities should be properly stocked with liquid unscented/non-perfumed, neutral or antiseptic soap. Single use paper towels should be used and units properly located. There should be an adequate stock of soap and paper towels. | Essential |
| Harvest Worker Hygiene | 4.04.03d | In the event of running out of toilet materials (e.g., water, soap, toilet tissue, hand paper towels), are there extra supplies readily available so that toilets can be restocked quickly? | 5 | Extra stock of fresh water, soap, toilet paper and paper towels, etc. should be readily available in the event that replenishment is needed while harvesting is occurring. | General |
| Harvest Worker Hygiene | 4.04.04 | Are total coliforms (TC) and generic <i>E. coli</i> tests conducted on the water used for hand washing at the required and/or expected frequency? | 15 | Total coliforms (TC) and generic <i>E. coli</i> testing should occur on a routine basis. All water sources used for hand washing throughout the harvesting season should be tested. One sample per water source should be collected and tested prior to use and then at least quarterly, ideally monthly. Water samples should be taken from as close to the point of use as is practical e.g. hand wash spigot/faucet. If there are multiple hand wash units, then samples should be taken from a different location each test (randomize or rotate locations). If there are multiple sources for hand wash water, testing should also account for each source used. | Essential |

| Section | Q # | Question | Total Points | Expectation | QuestionType |
|------------------------|----------|--|--------------|--|--------------|
| Harvest Worker Hygiene | 4.04.04a | Do written procedures (SOPs) exist covering proper sampling protocols, which include where samples should be taken and how samples should be identified? | 10 | There should be a documented procedure in place detailing how water samples are to be taken, including stating how samples should be identified i.e. clearly naming the location that the sample was taken, identifying the hand wash station, the water source and the date. | General |
| Harvest Worker Hygiene | 4.04.04b | Do written procedures (SOPs) exist covering corrective measures for unsuitable or abnormal water testing results? | 10 | Written procedures (SOPs) should exist covering corrective measures, not only for the discovery of unsuitable or abnormal water testing results, but also as a preparation on how to handle such findings. | General |
| Harvest Worker Hygiene | 4.04.04c | If unsuitable or abnormal results have been detected, have documented corrective measures been performed? | 15 | For total coliforms (TC) and generic <i>E. coli</i> , there should be negative or < detection limit (MPN or CFU/100mL). Where thresholds have been exceeded, there should be recorded corrective actions, including investigations and water retests. | Essential |
| Harvest Worker Hygiene | 4.04.05 | Are workers washing and sanitizing their hands before starting work each day, after using the restroom, after breaks, before putting on gloves and whenever hands may be contaminated? | 15 | Worker conformance to hand washing and sanitizing procedures should be assessed as washing hands is the first step in avoiding food contamination. Workers should be observed washing their hands prior to beginning work, after breaks, after using the toilets, before putting on gloves, and whenever hands may have become a source of contamination (e.g., after eating, after using a handkerchief or tissue, smoking, drinking, etc.). | Essential |
| Harvest Worker Hygiene | 4.04.06 | Are secondary hand sanitation stations (e.g., hand dips, gels or spray stations) adequate in number and location, and are the stations maintained properly? | 5 | Secondary hand sanitation is required for items that may be "ready-to-eat" (e.g., herbs, tomatoes, edible flowers, etc.). Secondary hand sanitizers are optional for root vegetable crops or a commodity that requires cooking prior to eating. Secondary hand sanitation (hand dips, gels or sprays) does not replace hand washing requirements (lack surfactant qualities). Secondary hand sanitation stations should be unscented/non-perfumed, have 60% to 95% ethanol or isopropanol and should be located near hand washing and other easily accessible areas. Hand dips (if used) should contain a food grade sanitizer at a determined concentration. Refer to hand sanitizer manufacturer label for dilutions. Hand dips should be regularly monitored (recorded anti-microbial strength checks) to ensure their effectiveness with corrective actions recorded (e.g. dip solution replenishment and anti-microbial additions). Hand gel / spray stations should be well stocked and tested regularly to ensure they are at the required strength - checks should be recorded. The auditor should check that gel pack type stations are stocked and have the auditee check the strength of anti-microbial chemicals in hand dips. Strength checks do not need to be performed for commercially purchased sanitizers that have been purchased already mixed. | General |
| Harvest Worker Hygiene | 4.04.07 | Is it evident that corrective actions are taken when workers fail to comply with hand washing guidelines? | 5 | It should be evident that corrective actions are taken by a supervisor in charge when workers fail to comply with hand washing requirements. | General |
| Harvest Worker Hygiene | 4.04.08 | Are workers who are working directly or indirectly with food, free from evidence of boils, sores, open wounds and are not exhibiting signs of foodborne illness? | 10 | Workers who have exposed boils, sores, exposed infected wounds, foodborne illness or any other source of abnormal microbial contamination should not be allowed to work in contact with the product, packaging or food contact surfaces. | Essential |

| Section | Q # | Question | Total Points | Expectation | QuestionType |
|------------------------|----------|---|--------------|---|--------------|
| Harvest Worker Hygiene | 4.04.09 | Is jewelry confined to a plain wedding band and watches, studs, false eyelashes, etc., are not worn? | 5 | Workers are not observed wearing jewelry (including earrings, ear gages, necklaces, bracelets, rings with stones, rings or studs in nose, lip and eyebrow, watches) in the growing area. Plain wedding bands are the only exception. Other examples of foreign items maybe a source of foreign material contamination include studs, false finger nails and finger nail polish, false eye lashes, eye lash extensions and badges. | General |
| Harvest Worker Hygiene | 4.04.10 | Are worker personal items being stored appropriately (i.e. not in the growing areas(s) or material storage areas)? | 5 | Workers should have a designated area for storing personal items such as coats, shoes, purses, medication, phones, etc. Areas set aside for workers' personal items should be far enough away from growing area(s) and material storage area(s) to prevent contamination and avoid food defense risks. | General |
| Harvest Worker Hygiene | 4.04.11 | Is smoking, eating, chewing and drinking confined to designated areas, and spitting is prohibited in all areas? | 5 | Smoking, chewing tobacco, chewing gum, drinking and eating is permitted in designated areas that are away from growing and storage areas. Spitting should be prohibited in all areas. Smoking should not be permitted in eating and drinking areas. | Essential |
| Harvest Worker Hygiene | 4.04.12 | Are workers wearing effective hair nets that contain all hair? | 5 | If the operation requires the use of hair nets, the harvest workers should be wearing appropriate hair nets that restrain all hair. Baseball caps and head coverings are allowed in the harvesting area only if they are clean and worn with a clearly visible hair net. | General |
| Harvest Worker Hygiene | 4.04.13 | Are all items removed from garment (shirt, blouse, etc.) top pockets, and unsecured items are not worn (e.g., pens, glasses on top of head, Bluetooth devices, etc.)? | 3 | There should be no items stored in workers' top pockets. Items in pockets and otherwise unsecured have the potential to fall into the product. | General |
| Harvest Worker Hygiene | 4.04.14 | Are all workers wearing protective outer garments suitable for the operation (e.g. appropriate clean clothes, smocks, aprons, sleeves and non-latex gloves)? | 5 | Workers should not wear personal clothes with sequins, pom-poms, fur, etc. No sleeveless tops without an over garment. Where dedicated protective clothing is not required/worn, it must be clear that outer street clothes are clean and not a potential source of contamination. If required, the policy should consider customer requirements, production risk, product type, etc. | Essential |
| Harvest Worker Hygiene | 4.04.15 | Do workers remove protective outer garments (e.g., smocks, aprons, sleeves and gloves) when on break, before using the toilets and when going home at the end of their shift? | 5 | When worn, protective clothing (e.g., aprons, smocks, sleeves, and gloves) should be removed when workers leave the work area (e.g., when they go to the toilet facility, break areas, etc.). Workers cannot smoke, eat, or use the restroom while wearing these garments. | Essential |
| Harvest Worker Hygiene | 4.04.15a | Is there a designated area for workers to leave protective outer garments (e.g., smocks, aprons, sleeves, and gloves) when on break and before using the toilet? | 5 | There should be a designated area for workers to leave protective clothing when they are worn (e.g., aprons, smocks, sleeves, and gloves). Workers are observed using the designated area when they leave the work area (e.g., when they go to the toilet facility, break areas, etc.). | General |

| Section | Q # | Question | Total Points | Expectation | QuestionType |
|------------------------|----------|--|--------------|---|-------------------|
| Harvest Worker Hygiene | 4.04.16 | Is fresh potable drinking water readily accessible to workers? | 10 | Water should be suitably cool and in sufficient amounts, taking into account the air temperature, humidity and the nature of the work performed, to meet the needs of all workers. Fresh potable water meeting the quality standards for drinking water should be available for workers on-site to prevent dehydration. The term “potable” meaning that the water is of drinking water quality (e.g., the EPA Drinking Water Standard or equivalent). If water containers are used, they should be maintained in a clean condition, free from residues and contamination to ensure workers are not adversely affected by contaminated water from unclean containers. If there is evidence (i.e. visual observation or documentation) the water is coming from a questionable source, the auditor should review water quality test results. | General |
| Harvest Worker Hygiene | 4.04.16a | Are single use cups provided (unless a drinking fountain is used) and made available near the drinking water? | 5 | Single use cups should be provided so that cross contamination issues are avoided from person to person. Examples include single-use cups , drinking fountains, etc. Common drinking cups and other common utensils are prohibited. | General |
| Harvest Worker Hygiene | 4.04.17 | Are first aid kits adequately stocked and readily available? | 5 | First aid kit(s) should be adequately supplied to reflect the kinds of injuries that occur (including any chemicals stored on-site) and should be stored in an area where they are readily available for emergency access. Date-coded materials should be within dates of expiration. Gloves should be worn over all band aids on hands. | General |
| Harvest Worker Hygiene | 4.04.18 | Are all commodities that come in contact with blood and/or other bodily fluids destroyed? ANY DOWN SCORE IN THIS QUESTION RESULTS IN AN AUTOMATIC FAILURE OF THE AUDIT. | 15 | Any commodity that comes into contact with blood and/or other bodily fluids must be destroyed. If this occurs during the time of inspection, auditor must witness that product is destroyed. ANY DOWN SCORE IN THIS QUESTION RESULTS IN AN AUTOMATIC FAILURE OF THE AUDIT. | Automatic Failure |
| Harvest Worker Hygiene | 4.04.19 | Are there adequate trash cans placed in suitable locations? | 5 | There should be adequate measures for trash disposal so that the growing, harvesting and storage areas are not contaminated. Containers (e.g., dumpsters, cans) should be available and placed in suitable locations for the disposal of waste and trash. | General |
| Harvest Worker Hygiene | 4.04.20 | Are any potential foreign material issues (e.g., metal, glass, plastic) controlled? | 5 | There should be no foreign material issues that are or could be potential risks to the product. Examples include, but are not limited to, glass bottles, unprotected lights on equipment, staples on wooden crates, hair pins, using “snappable” blades instead of one piece blades, broken and brittle plastic issues on re-useable totes. | Essential |
| Harvest Practices | 4.05.01 | Is the harvest area free from animal presence and/or animal activity (wild or domestic)? If Total Compliance, go to 4.05.02. | 15 | Animals can represent potential contamination to the harvesting area, to the crop, to the equipment , etc., and therefore, should not be present in the operations. Evidence of animal presence can include tracks, fecal matter, feathers, etc. | Essential |

| Section | Q # | Question | Total Points | Expectation | QuestionType |
|-------------------|----------|--|--------------|--|--------------|
| Harvest Practices | 4.05.01a | Is the harvest area free from any evidence of animal fecal matter? A ZERO POINT (NON-COMPLIANCE) DOWNSCORE IN THIS QUESTION RESULTS IN AUTOMATIC FAILURE OF THIS AUDIT. | 15 | Fecal matter is a potential contaminant to the product being grown. Produce that has come into direct contact with fecal material is not to be harvested. A "no harvest zone" approximately 5ft (1.5 m) radius should be implemented unless or until adequate mitigation measures have been considered. If evidence of fecal matter is found, a food safety assessment should be conducted by qualified workers. Consideration of the maturity stage and type of crop involved is required. Any evidence of human fecal matter in the growing area is an automatic failure (score under 4.05.02). | Essential |
| Harvest Practices | 4.05.02 | Is the harvesting area free from any evidence of human fecal contamination? ANY DOWN SCORE IN THIS QUESTION RESULTS IN AN AUTOMATIC FAILURE OF THE AUDIT. | 15 | There should be no evidence of human fecal contamination in the harvesting area, area being harvested, packaging area, equipment area, or in any other area that would cause a contamination issue. ANY DOWN SCORE IN THIS QUESTION RESULTS IN AN AUTOMATIC FAILURE OF THE AUDIT. | Essential |
| Harvest Practices | 4.05.03 | Is the harvest area free from evidence of infants or toddlers? | 10 | Infants and toddlers can represent potential contamination to the growing area, to the crop, to packaging and should not be present in the operations, including chemical or equipment storage areas. | Essential |
| Harvest Practices | 4.05.04 | Are all chemicals (pesticides, sanitizers, detergents, lubricants, etc.) stored securely, safely and are they labeled correctly? | 15 | Chemicals (i.e., pesticides, sanitizers, detergents, lubricants, etc.) are required to be stored in a well vented, designated (with a sign), dedicated, secure (locked) area away from food and packaging materials and separated from growing area and water sources. Spill controls should be in place for opened in use containers. All chemical containers should be off the floor, have legible labels of contents; this includes chemicals that have been decanted from master containers into smaller containers. Empty pesticide containers should be kept in a secured storage area until they can be recycled or disposed of properly. | Essential |
| Harvest Practices | 4.05.05 | Are "food grade" and "non-food grade" chemicals used appropriately, according to the label and not commingled ? | 10 | All chemicals applied should be approved by the prevailing authority for their designated use and used according to label instructions. Only food grade lubricants should be used anywhere near product and packaging materials. "Food grade" and "non-food grade" materials should be stored in separate designated areas and adequately labeled. Grease guns and containers should be labeled adequately. Access to non-food grade materials should be limited to those entrusted with the correct use of chemicals. | Essential |

| Section | Q # | Question | Total Points | Expectation | QuestionType |
|-------------------|----------|---|--------------|--|-----------------------|
| Harvest Practices | 4.05.06 | Are there records of microbial testing for water used for postharvest product contact (e.g., washing, re-hydrating) and product contact surfaces (e.g., cleaning grading packing tables and harvest tools) showing that there is no detectable total coliforms and generic <i>E. coli</i> in the water? | 15 | All water sources that are used for postharvest contact with the edible portion of a crop (e.g., washing, re-hydrating) and product contact surfaces (e.g., cleaning grading or packing tables and harvest tools) should be tested on a routine basis. One sample per water source should be collected and tested prior to use and then at least quarterly thereafter, or at a frequency relative to the associated risks. For commodities under the Leafy Greens Marketing Agreement, one sample per water source should be collected and tested prior to use if >60 days since the last test of the water source. Additional samples shall be collected at intervals of no less than 18 hrs. and at least monthly during use. Results of water testing for total coliforms and <i>E. coli</i> should meet the US EPA drinking water microbiological specification. For total coliforms and generic <i>E. coli</i> , there should be negative or < detection limit (MPN or CFU/100mL). If out of specification results are detected, then full details of corrective actions should be noted, including investigations and water retests. | Essential |
| Harvest Practices | 4.05.06a | Do written procedures (SOPs) exist covering corrective measures for unsuitable or abnormal water testing results? | 10 | Written procedures (SOPs) should exist covering corrective measures not only for the discovery of unsuitable or abnormal water results, but also as a preparation on how to handle such findings. | General |
| Harvest Practices | 4.05.06b | If unsuitable or abnormal results have been detected, have documented corrective measures been performed? | 15 | For total coliforms and Generic <i>E. coli</i> , there should be negative or < detection limit (MPN or CFU/100mL). Where thresholds have been exceeded, there should be recorded corrective actions,-including investigations, water retests, and if required, crop testing (<i>E. coli</i> O157:H7 and <i>Salmonella</i> < detection limits or Negative-zero tolerance). | Essential |
| Harvest Practices | 4.05.07 | Is the product harvested and transported to a facility for additional handling and/or final packing? | 0 | Information gathering question. This question refers to product that is harvested in the growing area and then taken to a facility for handling and/or packing. | Information Gathering |
| Harvest Practices | 4.05.08 | Is the product packed in the final packing unit in the growing area ? If No, go to 4.05.09. | 0 | Information gathering question. This question refers to product packed in the growing area that is in the final unit for shipping (i.e. clamshell, wrapped products, carton boxes, etc.), that usually bypasses any selection packing lines in a facility i.e. goes to a cooling process as opposed to a packing line. | Information Gathering |
| Harvest Practices | 4.05.08a | Is packing material (e.g., cartons, bags, clamshells, sacks, RPCs) intended for carrying product used for that purpose only? | 5 | All containers intended for product should not be used for any other purpose besides product storage. | Essential |

| Section | Q # | Question | Total Points | Expectation | QuestionType |
|-------------------|----------|--|--------------|---|-----------------------|
| Harvest Practices | 4.05.08b | Is packing material inspected prior to use and is product and packing material free from handling contamination and exposure to the ground? | 10 | Avoid stacking soiled bins on top of each other if the bottom of the bin has had direct contact with soil/ substrate . Product and packing materials used in the harvesting process should be placed with protection underneath and handled in a manner to eliminate contamination from the ground or from inappropriate human handling, which includes commodities where it is industry practice to place the products on the ground after harvest. Crops down scored for exposure to the ground do not include root crops that are grown underground (e.g., carrots, potatoes, onions, garlic , etc.) or crops that are grown with harvested portion in contact with the ground or plastic (e.g., melons). Handling contamination could also be caused by using cloths or towels to remove dirt and/or debris from packaging and/or product, standing on the sides of beds/trays during mushroom harvest, standing in bins of product on trucks, etc. | Essential |
| Harvest Practices | 4.05.08c | If packing material is left in the growing area unattended, is it stored secured and protected? | 5 | All containers, cartons, packing material should be stored in a protected area to reduce the risk of contamination and tampering that can occur if packing material is left in the growing area unattended. | General |
| Harvest Practices | 4.05.09 | Is the crop, harvested product, ingredients (including water), food contact packaging and food contact surfaces within accepted tolerances for spoilage and free from adulteration? ANY DOWN SCORE IN THIS QUESTION RESULTS IN AN AUTOMATIC FAILURE OF THE AUDIT. | 15 | The crop, harvested product, ingredients (including water), food contact packaging and food contact surfaces should be free from spoilage, adulteration and/or gross contamination (21 CFR 110.3g). If legislation exists, then the contamination should be viewed against this legislation (e.g., USDA Grading Standards often include decay tolerances). Spoilage and adulteration would include any physical, chemical or biological contamination including blood and bodily fluids. Measures should be taken to prevent any known or reasonably foreseeable hazard (e.g., Clostridium botulinum in mushrooms). Other examples might include glass, trash/litter, motor oil in products, etc. This question is designed to allow an auditor to halt an audit when finding gross contamination issues. ANY DOWN SCORE IN THIS QUESTION RESULTS IN AN AUTOMATIC FAILURE OF THE AUDIT. | Automatic Failure |
| Harvest Practices | 4.05.10 | Are grading and packing surfaces, carts, ladders and other harvest aids used? If No, go to 4.05.11. | 0 | Information gathering question. This refers to food contact surfaces used to grade, inspect, re-pack, or pack product (e.g., grading tables, mushroom grading platforms, picking carts, ladders , etc.). | Information Gathering |
| Harvest Practices | 4.05.10a | Does the design and condition of the grading and packing surfaces (e.g., smooth surfaces, smooth weld seams, nontoxic materials, no wood) facilitate effective cleaning and maintenance? | 10 | Grading and packing surfaces should be made of materials suitable for food contact that can be easily cleaned, sanitized and maintained. Equipment should be designed to allow access and easy cleaning (including hollow structures on supports, rollers, racks, etc.), with no hard to get to (debris catching) areas. Surfaces that are porous, trap debris, or are badly damaged should be replaced. Wood, for example, is porous and can trap moisture. Welds should be smooth and not "bobbly". | Essential |

| Section | Q # | Question | Total Points | Expectation | QuestionType |
|-------------------|----------|---|--------------|---|-----------------------|
| Harvest Practices | 4.05.10b | Are there written cleaning and sanitation procedures (Sanitation Standard Operating Procedures) for the grading and packing surfaces that includes the frequency of cleaning and sanitizing, and the procedures used, including chemical use details? | 5 | Food contact surfaces used to grade, inspect, re-pack, or pack product (e.g., picking carts, grading tables, ladders, etc.) should be cleaned and sanitized on a regularly scheduled basis, based on written Sanitation Standard Operating Procedures (SSOPs). The program should state the frequency of cleaning and sanitizing, detail what, who, how and when, including chemical details (name, dilution/strength), and cleaning verification procedures. | General |
| Harvest Practices | 4.05.10c | Are cleaning and sanitation logs on file for grading and packing surfaces that show what was done, when, by who and detail strength testing of anti-microbial solution used to sanitize surfaces? | 10 | Sanitation logs should include: date, list of areas/equipment that were cleaned and sanitized, sanitizer strength tests, and the individual accountable who signed-off for each task completed. | Essential |
| Harvest Practices | 4.05.11 | Are re-useable containers (e.g. buckets, totes, lugs, RPCs, bins) used in the harvesting operation? If No, go to 4.05.12. | 0 | Information gathering question. This refers to any re-useable containers used in the harvesting operation (e.g., buckets, totes, lugs, RPCs, bins, etc.) used in the harvesting operation. | Information Gathering |
| Harvest Practices | 4.05.11a | Does the design and condition of re-usable containers (e.g., smooth surfaces, smooth weld seams, nontoxic materials, no wood, no fabric) facilitate effective cleaning and maintenance? | 10 | All re-useable containers (e.g., totes, bins, buckets, etc.) should be made of easy to clean, smooth seamed materials that do not flake or oxidize. Efforts should be made to eliminate wooden surfaces because of its porous nature. | Essential |
| Harvest Practices | 4.05.11b | Are re-useable containers free from any handling contamination? | 10 | Re-useable containers used in the harvesting process should be managed to eliminate contamination from inappropriate handling practices. Handling contamination could also be caused using cloths or towels to remove dirt and/or debris from packaging. Avoid stacking soiled bins on top of each other if the bottom of the bin has had direct contact with soil. | Essential |
| Harvest Practices | 4.05.11c | Are there written cleaning and sanitation procedures (Sanitation Standard Operating Procedures) for the reusable containers that includes the frequency of cleaning and sanitizing, and the procedures used including chemical use details? | 5 | Re-usable containers should be cleaned and sanitized on a regularly scheduled basis, based on written Sanitation Standard Operating Procedures (SSOPs). The program should state the frequency of cleaning and sanitizing, detail what, who, how and when, including chemical details (name, dilution/strength), and cleaning verification procedures. | General |
| Harvest Practices | 4.05.11d | Are cleaning and sanitation logs on file for reusable containers that show what was done, when, by who and detail strength testing of anti-microbial solution used to sanitize surfaces? | 10 | Sanitation logs should include: date, list of areas/equipment that were cleaned and sanitized, sanitizer strength tests, and the individual accountable who signed-off for each task completed. Where cleaning & sanitizing is handled by a 3rd party (packinghouse, contract RPC company) auditee is expected to provide evidence of cleaning & sanitizing activities. | Essential |
| Harvest Practices | 4.05.12 | Are tools (e.g. knives, clippers, scissors, etc.) used in harvesting? If No, go to 4.05.13. | 0 | Information gathering question. This refers to harvest tools (e.g. knives, clippers, scissors, etc.) used in harvesting. | Information Gathering |
| Harvest Practices | 4.05.12a | Does the design and condition of harvest tools (e.g., smooth surfaces, smooth weld seams, nontoxic materials, no wood, no fabric) facilitate effective cleaning and maintenance? | 10 | To prevent foreign contamination issues, harvest tools (e.g., knives, coring rings, etc.) should be constructed of easy to clean materials. Tools should be shard free, and smooth seamed so that they do not have the ability to flake or oxidize. | Essential |
| Harvest Practices | 4.05.12b | Are harvest tools free from exposure to the ground and/or any handling contamination? | 5 | Harvest tools (e.g., knives, clippers, scissors, coring rings, holsters, etc.) should be free from exposure to the ground and/or any handling contamination. | Essential |

| Section | Q # | Question | Total Points | Expectation | QuestionType |
|-------------------|----------|---|--------------|--|-----------------------|
| Harvest Practices | 4.05.12c | Is there a tool accountability, storage and control program for knives and similar cutting hand tools used in the harvest area when not in use? | 5 | There should be an accountability, storage and control program in place for knives and similar cutting hand tools to identify potential product contamination. Tool accountability should include the inspection of the cutting surfaces for wear and tear, as well as a tool inventory check at the start and end of each shift. Workers should not be taking tools, such as knives, from the work area and should be required to use knife scabbards that can easily be cleaned i.e. non-porous. Leather scabbards should not be used. | Essential |
| Harvest Practices | 4.05.12d | Are there written cleaning and sanitation procedures (Sanitation Standard Operating Procedures) for harvest tools that includes the frequency of cleaning and sanitizing, and the procedures used including chemical use details? | 5 | Harvest tools should be cleaned and sanitized on a regularly scheduled basis, based on written Sanitation Standard Operating Procedures (SSOPs). The program should state the frequency of cleaning and sanitizing, detail what, who, how and when, including chemical details (name, dilution/strength), and cleaning verification procedures. | General |
| Harvest Practices | 4.05.12e | Are cleaning and sanitation logs on file for harvest tools that show what was done, when, by who and detail strength testing of anti-microbial solution used to sanitize surfaces? | 10 | Sanitation logs should include: date, list of areas/equipment that were cleaned and sanitized, sanitizer strength tests, and the individual accountable who signed-off for each task completed. | Essential |
| Harvest Practices | 4.05.12f | Are harvesting tool dips being maintained properly in terms of anti-microbial solution strength and are records of the solution checks being maintained? AUDITORS SHOULD REQUIRE A TEST AT THE TIME OF THE AUDIT. | 5 | There should be records to show that the tool dip solutions (e.g. knife dips) are being maintained on a regular basis. The strength of the sanitizers should be checked on a regular basis (e.g., hourly) and recorded. All test solutions/strips should be within date code, appropriate for the concentrations used and stored correctly (especially light and temperature sensitive materials). Anti-microbial chemicals must be food grade. AUDITORS ARE INSTRUCTED TO REQUIRE A TEST AT THE TIME OF THE AUDIT. | Essential |
| Harvest Practices | 4.05.13 | Is machinery used in the harvesting process? If No, go to 4.05.14. | 0 | Information gathering question. This includes equipment with the potential to affect product (e.g., conveyor belts, mechanical harvesting units, field packing rigs, field packing buses, live bottom trailers, coring rigs and any "in-field" processing rigs). Please note that there are some more specific questions for coring rigs and any "in-field" processing rigs in a later section. | Information Gathering |
| Harvest Practices | 4.05.13a | Are food contact machinery surfaces free of flaking paint, corrosion, rust and other unhygienic materials (e.g., tape, string, cardboard, etc.)? | 15 | Food contact surfaces on machinery should be free of flaking paint, corrosion, rust, and/or unhygienic materials, as they can pose foreign material and/or microbiological hazards. Food contact surfaces should be made of non-toxic, non-porous materials. Surfaces should be maintained in good condition. | Essential |
| Harvest Practices | 4.05.13b | Are food contact machinery surfaces clean? | 15 | Unsanitary food contact surfaces can directly lead to contamination of the product. Food debris, bio films, excessive dust, etc., should be cleaned off equipment. | Essential |
| Harvest Practices | 4.05.13c | Are non-food contact machinery surfaces free of flaking paint, corrosion, rust and other unhygienic materials (e.g., tape, string, cardboard, etc.)? | 10 | Flaking paint, corrosion, rust and/or unhygienic materials should not be present on any surfaces. Where possible, equipment framework is not penetrated by bolts or studs. | General |
| Harvest Practices | 4.05.13d | Are non-food contact machinery surfaces clean? | 10 | Unsanitary non-food contact surfaces can indirectly lead to contamination of the product. Food debris, bio films, excessive dust, etc., should be cleaned off equipment. | General |

| Section | Q # | Question | Total Points | Expectation | QuestionType |
|-------------------|----------|---|--------------|--|-----------------------|
| Harvest Practices | 4.05.13e | Does the design and condition of the machinery (e.g., smooth surfaces, smooth weld seams, nontoxic materials, no wood) facilitate effective cleaning, sanitation and maintenance? | 10 | Machinery should be made of appropriate materials that can be easily cleaned and maintained, that are not porous or toxic and can withstand the cleaning process. Equipment should be designed to allow access and easy cleaning (including hollow structures on supports, rollers, racks, etc.), with no hard to get to (debris catching) areas. Surfaces that are porous, trap debris, badly damaged should be replaced. Wood, for example, is porous and can trap moisture. Welds should be smooth and not "bobbly". | Essential |
| Harvest Practices | 4.05.13f | Is machinery designed and used properly to minimize product contamination (e.g., drip pans utilized, dedicated tractor pathways)? | 5 | Overhead contamination from materials such as hydraulic fluid can result in product and packaging contamination, and therefore, equipment should be fitted with catch pans. Dedicated tractor pathways should also be used to minimize product contamination. | Essential |
| Harvest Practices | 4.05.13g | Are all glass issues on harvesting machines, in-field trucks, and tractors protected in some manner? | 3 | Glass located on the harvesting machinery (e.g., lights, night lights) that may pose a threat of contamination onto product, packaging, and re-useable containers should be protected. Machinery includes tractors and other equipment that may come into contact with product. There should be no evidence of cracked lenses. | General |
| Harvest Practices | 4.05.13h | Are all platforms above product, packaging, or food contact surfaces (e.g., belts) on the harvest machinery and in-field trucks fitted with protection to prevent product contamination? | 3 | Overhead contamination of exposed product areas can result in microbiological, chemical and/or physical contamination. Measures should be taken to eliminate or reduce potential contamination by placing protection on areas of equipment above product, food contact surfaces, and belts. | General |
| Harvest Practices | 4.05.13i | Are there written cleaning and sanitation procedures (Sanitation Standard Operating Procedures) for the harvest machinery that includes the frequency of cleaning and sanitizing, the procedures used including chemical use details? | 5 | Harvest machinery should be cleaned and sanitized on a regularly scheduled basis, based on written Sanitation Standard Operating Procedures (SSOPs). The program should state the frequency of cleaning and sanitizing, detail what, who, how and when, including chemical details (name, dilution/strength), and cleaning verification procedures. Frequency should reflect the type of machinery, type of harvesting practice and the risk associated with the crop involved. This includes water tanks used for post-harvest water use. For "in-field" processing, clean and core, etc., at least daily cleaning should be performed. | General |
| Harvest Practices | 4.05.13j | Are cleaning and sanitation logs on file for harvest machinery that show what was done, when, by who and detail strength testing of anti-microbial solution used to sanitize surfaces? | 10 | Sanitation logs should include: date, list of areas/equipment that were cleaned and sanitized, sanitizer strength tests, and the individual accountable who signed-off for each task completed. | Essential |
| Harvest Practices | 4.05.13k | Is there written documentation showing that only food grade lubricants are used on the critical parts of the harvesting machinery that have the potential to contaminate product? | 3 | In order to prevent or reduce contamination to product/packaging, food grade lubricants (i.e. incidental food contact compounds or H1 materials) should be used on critical areas of the equipment where product exposure exists. Proof must be available that food grade lubricants are being used. | General |
| Harvest Practices | 4.05.14 | Is water used directly on product contact (e.g. re-hydration, core in field)? If No, go to 4.05.15. | 0 | Information gathering question. This refers to water that is used directly on product contact. Examples may include but are not limited to re-hydration, core in field. | Information Gathering |

| Section | Q # | Question | Total Points | Expectation | QuestionType |
|-------------------|----------|---|--------------|--|--------------|
| Harvest Practices | 4.05.14a | Are there specific Standard Operating Procedures (SOPs) for the monitoring of anti-microbial parameters in single-pass and/or recirculated/batch water systems and changing of recirculated/batch water systems (e.g., dump tanks) and for pH and monitoring water temperature (if applicable)? | 10 | Product contact water systems should have SOPs that describe how they are managed, including the water change frequency (recirculated/batch water systems), anti-microbial(s) used, pH monitoring (if required), their concentration(s), monitoring method(s) and frequency and corrective action procedures. The anti-microbial monitoring frequency should be sufficient to demonstrate the required concentration is maintained throughout the time the system is operated. Methods and monitoring procedures for measuring build-up of organic material (soil and plant debris) in recirculated and batch water systems should be described. Water should be changed when it is dirty or when switching products. If product(s) immersed in water are known to be susceptible to infiltration, the SOP should include water and product temperature parameters and monitoring frequency. There should be sufficient validation to support the anti-microbial concentration used, the water changing frequency (if less than daily) and water testing frequency. Measuring total chlorine is not acceptable for recycled/batch water systems. For chlorine systems, the concentration should be ≥10ppm free chlorine. Lower concentrations should be properly justified with supporting documents, rationale and evidence. Other anti-microbials include peracetic acid, chlorine dioxide, etc. | General |
| Harvest Practices | 4.05.14b | Are there records (with corrective actions) that show anti-microbial (e.g. free chlorine, peroxyacetic acid) strength testing of wash water prior to start up and throughout the run? | 10 | Water systems using anti-microbial agents should have records showing that the strength of the solution is within stated parameters. For "single pass" systems, this should be every batch of anti-microbial solution that is mixed. Recirculated/batch water systems should be checked hourly by measuring the "free anti-microbial" as opposed to bound microbial (e.g., testing for free chlorine as opposed total chlorine). Re-circulated/ batch water systems using chlorine should have records showing the pH is controlled. Where out of specification results are recorded, there should be corrective action records, including root cause analysis and preventive actions (where relevant). | Essential |
| Harvest Practices | 4.05.14c | Are there records of monitoring for build-up of organic material (turbidity) and changing of recirculated and batch water systems (e.g., dump tanks, flumes, hydro vacuums, hydro coolers, etc.)? | 5 | There should be records of visual monitoring, testing and changing of recirculated and batch water systems and water temperature checks (where relevant) during use. Water should be changed at least daily and when it is dirty and when switching products. Frequency of water changing is at least daily. | Essential |
| Harvest Practices | 4.05.14d | Does the operation use the appropriate test strips, test kits or test probes for verifying the concentrations of anti-microbial chemicals (e.g., postharvest product contact water, dip stations, etc.) being used, are they in operational condition and are they being used correctly? | 15 | The strength (concentration, pH, etc.) of anti-microbial chemicals should be checked on a regular basis and recorded. All test solutions/strips should be within date code, appropriate for the concentrations used and stored correctly. If the ORP meter controls the pumps that are injecting the anti-microbial and/or buffer, there should be an independent calibrated ORP probe or other method (e.g., test strip papers, titration) in order to verify injector readings. | Essential |

| Section | Q # | Question | Total Points | Expectation | QuestionType |
|-------------------------|----------|---|--------------|--|-----------------------|
| Harvest Practices | 4.05.15 | Is the harvested product "in-field processed" or "in-field semi-processed" (e.g., core in field, top & tail, florets)? | 0 | Information gathering question. "In field processed" products are subject to all the questions in this audit and these extra requirements below. "In field processed" usually refers to product who having multiple cuts surfaces created in the field (e.g., coring in field, topping & tailing, florets). | Information Gathering |
| Harvest Practices | 4.05.15a | Where harvested product is "in-field processed" or "in-field semi-processed," does the process flow, machine layout, worker control, utensil control, etc. ensure that processed products are not contaminated by unprocessed products? | 5 | The design, worker management, utensil management and general practice should avoid contact between processed and unprocessed product, contact surfaces and tools. | Essential |
| Harvest Practices | 4.05.15b | Are all plastic bin liners closed immediately after harvest to avoid contamination of the harvested product? | 3 | All plastic bin liners should be closed immediately and appropriately secured after harvest to avoid product contamination. | General |
| Post-harvest Treatments | 4.06.01 | Is there any post-harvest treatment performed to the product in the growing area? If No, go to 4.07.01. | 0 | Information gathering question. This refers to any post-harvest treatments taking place in the growing area (e.g. blueberries packed in the field with sodium metabisulphite pads, tables grapes packed in the field treated/gassed with sulfur dioxide, etc.). | Information Gathering |
| Post-harvest Treatments | 4.06.01a | Are there up to date records of all pesticides applied in the growing area to the harvested product? A ZERO POINT (NON-COMPLIANCE) DOWN SCORE IN THIS QUESTION RESULTS IN AUTOMATIC FAILURE OF THIS AUDIT. | 15 | The operation should follow a pesticide application record keeping program for all postharvest treatments that at least includes the following: date of application, product identity (e.g. lot or batch number/code), brand/product name, EPA registration number (or country of production equivalent registration information), active ingredient, amount applied (rate/dosage), applicator identification, application equipment identification "and/or" type of treatment, and target pest/disease. Information may be recorded on separate documents providing all information is available and consistent. A ZERO POINT (NON-COMPLIANCE) DOWN SCORE IN THIS QUESTION RESULTS IN AUTOMATIC FAILURE OF THIS AUDIT. | Automatic Failure |

| Section | Q # | Question | Total Points | Expectation | QuestionType |
|-------------------------|----------|--|--------------|---|-------------------|
| Post-harvest Treatments | 4.06.01b | Are all pesticides applied post-harvest authorized/registered by the authority/government of the country of production? ANY DOWN SCORE IN THIS QUESTION RESULTS IN AN AUTOMATIC FAILURE OF THE AUDIT. | 15 | Application records should show all pesticides applied during the growth cycle are officially registered by the country of production for the target crop (e.g. EPA in the US, COFEPRIS in Mexico, SAG in Chile, Pest Management Regulatory Agency (PMRA) in Canada). In countries where there is approval for its use, this is acceptable, when the program is operated by the government and considers at a minimum the target crop, pesticide trade name and active ingredient, formulation, dosage, pre-harvest intervals and target pest(s) or in cases where the government authorizes an active ingredient but not a trade name, there must be evidence of compliance with the MRLs of the destination countries for the applied "authorized" active ingredient (see 2.10.05) When pesticide product registration/authorization information does not exist for the target crop in the country of production or there are not enough products registered/authorized to control a pest or disease (partial registration/authorization), extrapolation is possible if that practice is allowed by the country of production (e.g. in Mexico "Anexo Técnico 1. Requisitos Generales para la Certificación y Reconocimiento de Sistemas de Riesgos de Contaminación (SRRC) Buen Uso y Manejo de Plaguicidas (BUMP) o Buenas Prácticas Agrícolas en la Actividad de Cosecha (BPCo) durante la producción primaria de vegetales – Section 12.3 should be considered. ANY DOWN SCORE IN THIS QUESTION RESULTS IN AN AUTOMATIC FAILURE OF THE AUDIT. | Automatic Failure |
| Post-harvest Treatments | 4.06.01c | Are all pesticides applied post-harvest used as recommended/directed in the label? ANY DOWN SCORE IN THIS QUESTION RESULTS IN AN AUTOMATIC FAILURE OF THE AUDIT. | 15 | Application records should show all post-harvest pesticides are applied in accordance with label directions and any federal, state or local regulation(s). In operations applying post-harvest pesticides "authorized" by the government, where use directions are not in the label, application records should show "authorization program" use/applications directions are followed. | Automatic Failure |
| Post-harvest Treatments | 4.06.01d | Where products are destined for export, is there information for post-harvest pesticide Maximum Residue Limits (MRLs) compliance considering, country of destination, target crop(s) and active ingredients applied? | 15 | Where products are destined for export, the operation should have documented evidence about the MRL requirements for each country of destination for each post-harvest pesticide (active ingredient) applied. If there is no MRL defined by the country of destination for any active ingredient applied, the operation shall have documented evidence of the applicable regulations in that country (e.g. default MRL, Codex Alimentarius, non-detectable, etc.). In the case where the MRLs have been standardized or harmonized for a group of countries (i.e. European Union) it is acceptable that the operation demonstrate compliance by referencing the "list" of MRLs issued from the formal body that represents those countries for this purpose. | Essential |

| Section | Q # | Question | Total Points | Expectation | QuestionType |
|-----------------------------|----------|---|--------------|---|--------------|
| Post-harvest Treatments | 4.06.01e | Where products are destined for export, is there evidence that Maximum Residue Levels (MRL's), of the intended markets are met? | 15 | Maximum Residue Limits (MRLs) analysis should be performed when the MRL of the destination countries are lower (stricter) than the country of production. This assumes that grower is meeting country of origin MRL requirements. MRL test results and records should demonstrate that products/crops meet MRL regulations in those intended markets and any non-conforming product is diverted from those markets. | Essential |
| Post-harvest Treatments | 4.06.01f | Is there a documented procedure for the post-harvest pesticide applications, considering mixing and loading, applying, and equipment cleaning? | 15 | There should be a documented procedure describing how to mix and load post-harvest pesticides, how to apply post-harvest pesticides and how to rinse and clean post-harvest pesticide application equipment. The procedure should adhere to the product label and include: requiring activity to be in a well-ventilated, well-lit area away from unprotected people, food and other items that might be contaminated; necessary PPE, re-entry intervals, excessive winds, posting of treated areas, etc.; how to rinse and clean pesticide equipment including measuring devices, mixing containers and application equipment. | Essential |
| Post-harvest Treatments | 4.06.01g | Is there documentation that shows the individual(s) making decisions for post-harvest pesticide applications is competent? | 15 | Current valid certificates, licenses or another form of proof of training recognized by prevailing national/local standards and guidelines should be available for the individual(s) making decisions on pesticide applications (e.g., choice of pesticides, application timings, rates, etc.). | Essential |
| Post-harvest Treatments | 4.06.01h | Is there documentation that shows that individuals who handle post-harvest pesticide materials are trained and are under the supervision of a trained person? | 15 | All workers who handle pesticides must have current certificates, licenses, or other forms of proof of training (recognized by prevailing national/local standards and guidelines) qualifying them to do so independently or they must have proof of training (in-house or external) and be under the supervision of a worker who can do so independently. | Essential |
| | | | | | |
| Transportation and Tracking | 4.07.01 | Are the vehicles loading and transporting fresh produce from growing area to facility limited to this function only, maintained in proper condition, and adequate for the purpose? | 5 | Vehicles loading and transporting product should be limited to this function only and should be adequate for transporting produce. Vehicles should be part of the sanitation program , in a good state of repair, clean, odor free, free from personal items, and free from chemical and microbiological contamination. If loads are tied down, tarps, belts, ropes, etc., should also be in good working order, without contamination risk to product. | General |
| Transportation and Tracking | 4.07.02 | Is there a system in place to track product from the growing area ? | 10 | There should be a tracking system in place to ensure that product can be traced back to each exact growing location and harvest date (e.g., grower identification, farm identification, block, harvesting date, etc.). | General |
| Transportation and Tracking | 4.07.02a | If product is being packed in the growing area , are the cartons, boxes, RPCs or any other packaging material used, identified with the harvesting date and growing location information? This question does not apply for raw material/bulk product destined for further handling in a packinghouse or processing facility. | 10 | For finished goods packed in the growing area , there should be date coding on each external package, such as cartons, boxes, reusable plastic containers or any other. The information should be enough to identify the date of harvest and the exact location of where the product was grown. This question is not-applicable for raw material/bulk product destined for further handling in a packinghouse or processing facility. | Essential |

| Section | Q # | Question | Total Points | Expectation | QuestionType |
|-----------------------------|----------|--|--------------|---|-----------------------|
| Transportation and Tracking | 4.07.02b | If product is being packed in the growing area and individual packing units are used (e.g., clamshells, bags, baskets or others), are these individual units identified with the harvesting date and growing location information? This question does not apply for raw material/bulk product destined for further handling in a packinghouse or processing facility. | 10 | For finished goods packed in the growing area, there should be date coding on each individual unit package, as clamshells, bags, baskets or others. The information should be enough to identify the date of harvest and the exact location of where the product was grown. This question is not-applicable for raw material/bulk product destined for further handling in a packinghouse or processing facility. | Essential |
| On-site storage | 4.08.01 | Is there an on-site storage for items and/or equipment used in the harvesting process (e.g., packing material, cartons, clamshells, re-usable containers, disinfectants, grading/packing tables, RPCs, harvesting equipment, etc.)? | 0 | Information gathering question. This question refers to an on-site storage for items and/or equipment used in the harvesting process (e.g., packing material, cartons, clamshells, re-usable containers, disinfectants, grading/packing tables, RPCs, harvesting equipment, etc.). | Information Gathering |
| On-site storage | 4.08.01a | Is on-site storage for items and/or equipment used in the harvesting process (e.g., packing material, cartons, clamshells, re-usable containers, disinfectants, grading/packing tables, RPCs, harvesting equipment, etc.) clean and secure? | 10 | On-site storage (including inside vehicle storage) for items and/or equipment used in the harvesting process should be secure, clean, and maintained properly to reduce pest and foreign material contamination. | Essential |
| On-site storage | 4.08.02 | Are packaging, containers, and harvesting equipment stored to prevent cross contamination (this includes RPCs, cartons, clamshells, bins, and other harvesting type of containers that are single use or reusable, etc.)? | 5 | Packaging, containers, etc., should be stored away from farm chemicals, sanitizers, fertilizers, etc. All packaging materials should be stored off the ground (i.e. on racks, pallets, shelves, etc.). Cartons and other packing materials should be properly protected during storage to prevent contamination. | Essential |
| On-site storage | 4.08.03 | Are there cleaning logs for the storage area(s)? | 5 | All storage areas should have a sanitation program in place and there should be records of the cleaning and sanitation activities performed, including areas cleaned, dates and person performing the activity. | General |
| On-site storage | 4.08.04 | Is there a documented and effective pest control program in place for fixed location storage areas? | 15 | There should be a documented and effective, proactive pest control program (in-house or contracted) to control rodents (also insects, reptiles and birds where necessary) and prevent infestation in all fixed (permanent/dropped in place) storage areas. There should be a written scope of the program, indicating target pests and frequency of checks. | Essential |
| On-site storage | 4.08.04a | Are pest control devices located away from items and/or equipment used in the harvesting process (e.g., packing material, cartons, clamshells, re-usable containers, disinfectants, grading/packing tables, RPCs, harvesting equipment, etc.), and poisonous bait stations are not used inside the storage areas? | 5 | Pest control devices should be located away from exposed food products, packaging materials, or equipment to prevent any physical or microbial contamination. Poisonous bait stations should not be used inside any storage areas. No bait should be found outside of bait stations. | Essential |
| On-site storage | 4.08.04b | Are pest control devices maintained in a clean and intact condition and marked as monitored (or bar code scanned) on a regular basis? | 5 | All pest control devices should be maintained clean, in working order and replaced when damaged so that they will accomplish their intended use. Date of inspections should be posted on the devices (unless barcode scanned), as well as kept on file. | Essential |

| Section | Q # | Question | Total Points | Expectation | QuestionType |
|-----------------|----------|---|--------------|--|--------------|
| On-site storage | 4.08.04c | Are pest control devices adequate in number and location? | 5 | The distance between devices should be determined based on the activity and the needs of the operation. As a reference, the following guidelines can be used to locate devices. Inside pest control: mechanical traps every 20-40 ft (6-12 m). Outside building perimeter: mechanical traps and/or bait stations every 50-100 ft (15-30 m). Interior and exterior devices should be placed on both sides of doorways. Land Perimeter (if used): within 50 ft (30 m) or buildings and at 50-100 ft (15-30 m). | Essential |
| On-site storage | 4.08.04d | If storage areas are fully enclosed, are measures taken to prevent pest entry? | 5 | Fully enclosed storage buildings should have measures in place to prevent pest entry (i.e. pest proof doors, screened openings, etc.). Main doors should be kept closed unless in use. | Essential |
| On-site storage | 4.08.04e | Are all pest control devices identified by a number or other code (e.g., barcode) ? | 5 | All devices should be clearly identified (e.g. numbered) to facilitate monitoring and maintenance. All internal rodent devices should be located with wall signs (that state the trap number and also that they are pest control device identifier signs). | General |
| On-site storage | 4.08.04f | Are all pest control devices effective and bait traps secured? | 5 | All devices should be correctly orientated with openings parallel with and closest to walls. Bait stations should be locked and tamper resistant in some way (e.g., locks, screws, etc.). Bait stations should be secured to prevent removal. | Essential |
| On-site storage | 4.08.04g | Is there a schematic drawing/plan of the storage area showing numbered locations of all pest monitoring devices, both inside and outside the storage area? | 5 | A schematic drawing or map is on file, current, and details internal and external traps. All devices should be numbered and clearly identified on the map. Map numbers should match physical placement. The document should be accurate, dated and should show the type of device. | General |
| On-site storage | 4.08.04h | Are service reports created for pest control checks detailing inspection records, application records, and corrective actions of issues noted (in-house and/or contract)? | 5 | Service reports from the contract pest control company should be available for review if pest control is contracted out. In-house inspection records should be available for review if pest control is conducted in-house. Records should include service(s) performed, date of service, chemicals used, signs of activity, corrective actions and trend reports. | Essential |

Where laws, commodity specific guidelines and/or best practice recommendations exist and are derived from a reputable source, then these practices and parameters should be used. Audit users should allow a degree of risk association if laws, guidelines, best practices, etc., have not been documented.

Caution symbol questions are of essential importance to food safety due to potential concern(s) regarding the conformity of the product/processes or there are legal concerns if not in total compliance. Please refer to **PrimusGFS General Regulations - Appendix 3 Guidance for Closure of Deficiencies and Corrective Actions** for details.

| Document Revision History | | |
|---------------------------|-------|---|
| Date | Rev.# | Description |
| 1/19/21 | 0 | Initial |
| 7/20/21 | 1 | Changes to question 4.06.01a |
| 8/27/21 | 2 | No changes to Module 4 |
| 12/30/21 | 3 | Q 4.05.15 removed the text "if no, go to 4.05.16" |